




CARGO HARDWARE





HINGES, TIE DOWNS, BUMPERS & MORE

HR9-3-GZ

RAMP ROLLER HINGE 9", 3 PIECE DESIGN

PLAIN FINISH, WITH GREASE ZERK

ALSO AVAILABLE IN 12" LENGTH



HBR10-GZ

RAMP ROLLER HINGE 10" OFFSET

PLAIN FINISH, WITH GREASE ZERK



GBCSA

ALUMINUM CARGO GRAB BAR

COUNTER SUNK HOLES



GBCSBKP

BLACK PLASTIC CARGO GRAB BAR

CONCEALED SCREW



H200X72A-NH

2" X 72" CONTINUOUS HINGE, NO HOLES OR BENDS

.060 THICK, .087 PIN, 1/2 NUCKLES, ALUMINUM

ALSO AVAILABLE IN STEEL



JLB433X602M/P977

JOINING LINK BAR WELD ON .433 X 6.02"

PLAIN STEEL

ALSO AVAILABLE IN .488 X 6.77"



JL38X330F

JOINING LINK 3/8 X 3.30"

FORGED STEEL

ALSO AVAILABLE IN 7/16 DIAMETER



1-LC-UP-GZ

RAMP ROLLER HINGE, 6" STANDARD BREAK

PLAIN FINISH, WITH GREASE ZERK



TD2500

D-RING TIE DOWN, OVAL

W/CENTER HOLE, 2500 LB CAPACITY



TD6001

D-RING TIE DOWN, HEAVY DUTY

W/ROUND HOLES, 6000 LB CAPACITY



TD858

D-RING TIE DOWN, 4" ROUND

PLASTIC BASE, 1200 LB CAPACITY



TD6000

D-RING TIE DOWN, HEAVY DUTY

W/SQUARE HOLES, 6000 LB CAPACITY



RB250RBK

2-1/2" RAMP DOOR BUMPER

BLACK RUBBER



RB250X200BK/P973

2-1/2" OD X 2" H RUBBER BUMPER

BLACK



RBHD600X300BK/P974

6" X 3" RUBBER BUMPER, HIGH DOCK

BLACK






LOCKS, LATCHES & MORE

DHB-CB-6Z

6" T-STYLE DOOR HOLD BACK

ZINC PLATED

ALSO AVAILABLE IN 10" LENGTH



MDSUAZ-263106

8" MANUAL DOOR SUPPORT ARM

CLOSED LENGTH W/MOUNTING BRACKETS

ZINC PLATED



DHB-CB

3 1/2" DOOR HOLD BACK

430 STAINLESS



DHB

6" T-STYLE PLASTIC DOOR HOLD BACK

WITHOUT BUMPER

DHB-BKP6 - BLACK *

DHB-WP-6 - WHITE



TTEDL43610

TRAVEL TRAILER ENTRY DOOR LATCH W/ KEYED DEADBOLT

INCLUDES STRIKE PLATES & MOUNTING HARDWARE

TTEDL43610PC - POLISHED CHROME *

TTEDL43610-BK - BLACK

TTEDL43610-W - WHITE



TL039

FINGER TRIGGER LATCH FLUSH MOUNT

TL039-PC - POLISHED CHROME *

TL039-BK - BLACK

TL039-W - WHITE



L14N

14" LOW HINGE, NO FORM WELD

ZINC PLATED

L14N - NO HOLES

L14-WH - WITH HOLES *



L164-OM

16" LOW HINGE, 1/4" OFFSET OVERMOLD

ZINC PLATED

ALSO AVAILABLE IN 14"



L140-CM

14" FLUSH MOUNT TRAILER HINGE

OVERMOLD OFFSET W/ MOUNTING HOLES

BRIGHT ZINC PLATED



L14-2532-OM

14" TRAILER HINGE, 25/32" OFFSET

OVERMOLD W/ MOUNTING HOLES

NEUTRAL ZINC



HSP6500S

BAR LOCK HASP

SELF LOCKING KEYED PLASTIC

HSP6500SLBK-K - BLACK *

HSP6500SLW-K - WHITE



Lock only, Handle not included

SGL500Z/P918

5" X 3" W/FLAT & BENT CATCH

SLIDING GATE LATCH

ZINC PLATED



LPLATEBRKT-W/S

LICENSE PLATE HOLDER

BLACK PLASTIC W/SCREWS





SAFETY CHAIN

SAFETY CHAINS are the chains that are connected from the trailer tongue to the tow vehicle.

They are an essential piece for making sure your trailer is properly connected to your tow vehicle.

Safety chains are also necessary so that you can still safely guide your trailer and maintain control as you make your way to a safe stopping point in the event of a ball or coupler failure.

Two safety chains are required and must be attached to their own chain retainers.



STEEL S-HOOK

ABS safety chains are available in various lengths & load ratings, & fittings. Available in Zinc & Yellow Zinc finish. All products are D.O.T certified and tested for quality.

CLEVIS SLIP HOOK

Working load limit (WLL) is the maximum working load designed by the manufacturer. This load represents a force that is much less than required to make the product fail or yield - also known as breaking load.

Ask your ABS sales representative about safety chain today!




E-TRACK

BST10/BKP

**10FT HORIZONTAL E-TRACK
BLACK POWDER COATED**

ALSO AVAILABLE IN PLAIN FINISH

CUSTOM LENGTHS AVAILABLE UPON REQUEST



Used for securing straps to inside walls or beds of trucks and trailers.



BAR & CAM LOCKS

BAR LOCKS

**TAMPER PROOF, 14" BLACK RUBBER HANDLE,
ZINC PLATED STEEL, AVAILABLE WITH HASP**

AVAILABLE IN 36", 45" AND 55" LENGTHS

120/PALLET



U.S. PATENT NO 10,024,089

Clear Coat Protectant Zinc Coating for Superior Corrosion Resistance

CAM LOCKS

**TAMPER PROOF, 14" BLACK RUBBER HANDLE, ZINC
PLATED STEEL, AVAILABLE WITH HASP**

COMES WITH STANDARD ROD GUIDES,
TOP & BOTTOM HOOK, TOP & BOTTOM LATCH AVAILABLE IN
78" AND 108" LENGTHS

120/PALLET



CAM LOCK KIT

1 HANDLE, 1 HASP, 1 HINGE

CLK-1-1RH - REGULAR ROLLER HINGE

CLK-1-1-OH - OFFSET ROLLER HINGE



HSP6100

HASP ASSEMBLY - 2 PIECE RIVETED DESIGN

ZINC PLATED



HSP6200

HASP ASSEMBLY - 1 PIECE RIVETED DESIGN

ZINC PLATED



BLACK-OUT LINE





TAMPERPROOF BARLOCK HARDWARE



**OUR UNIQUE DESIGN ALLOWS YOU TO SWITCH
FROM TAMPERPROOF TO NON-TAMPERPROOF
EASILY AND EFFICIENTLY.**

KEY FEATURES

- Clear coat protective zinc coating
- Superior corrosion resistance
- Strength tested & approved
- Thick, sturdy design
- Available in 24", 36", 45", 55"
- 14" Black rubber handle
- Also available in black

NEW & PATENTED!



U.S. PATENT NO. 10,204,089



For Enclosed Cargo Trailers

Hasps Sold Separately



AVAILABLE ONLY AT ABS FASTENERS



WELD ON TRAILER HINGES

Durable and Reliable Ideal for Trailer Doors

- Suitable for freight trucks, dump trailers, horse trailers and other doors
- Made of heavy duty plain steel, ideal for welding
- Durable and reliable, ideal for trailer doors and doors

HDTRD400M-L/R

HINGE DUMP TRAILER REAR DOOR, LEFT & RIGHT HAND
1-1/4 X 3-1/8 BASE, 4" LENGTH X 2-1/4" LEAF W/ ZERK PLAIN
PLAIN FINISH, AVAILABLE IN LEFT & RIGHT



HR9-3-GZ

RAMP ROLLER HINGE 9", 3 PIECE DESIGN
PLAIN FINISH, WITH GREASE ZERK
ALSO AVAILABLE IN 12" LENGTH



HBR10-GZ

RAMP ROLLER HINGE 10" OFFSET
PLAIN FINISH, WITH GREASE ZERK



1-LC-UP-GZ

RAMP ROLLER HINGE,
6" STANDARD BREAK
PLAIN FINISH, WITH GREASE ZERK



H-6254-4WF

STRAP HINGE FOR REAR OR SIDE
DOOR W/ 4" FLANGE PLAIN
PLAIN FINISH



DISTRIBUTED BY ABS CONTACT US TO LEARN MORE!



JACK & COUPLER COMPONENTS



A-FRAME TRAILER COUPLER

- 2 Inch Ball Coupler
(Also available in 2-5/16")
- Weld-On
- 5,000lbs & 14,000lbs.
- Standard Coupler
- Yoke Latch



TOP WIND JACKS

- Standard A-Frame Jack
- 14 Inch Lift
- No Wheel or Foot
- Available in 2,000 & 5,000lbs
- No Drop Leg

JACK FOOT STANDS & FEET



TRAVEL TRAILER LOCKS



ENTRY DOOR LOCK FEATURES

- Glass Filled Nylon Design-UV Resistant
- Keyed Cylinder & Deadbolt
- Available in Black, White & Chrome
- Available in Custom Keyways
- Tested to 200,000 cycles.
- Strike Plates & mounting hardware included.



Available in Black, White & Chrome

BAR LOCK HASPS FEATURES

- Zinc Alloy Design
- Keyed Cylinder
- Squared or Modern Design available
- Mounting hardware included
- Custom Keyways available (Keyed alike program)



Squared or Modern Design available





JS-1000

CLEAR 1000 COATING

**GUARANTEED PERFORMANCE THAT OUTPERFORMS AND OUTLASTS
OTHER PREMIUM COATINGS**



THE PROOF IS IN THE TESTING!

Our CLEAR-1000 formula has been proven to remain rust-free in over 1,000 hours of salt spray testing which is an astonishing 20-25 times the corrosion resistance of regular electro-zinc products and considerably more than the best known coatings on the market.

CLEAR-1000 delivers the kind of performance that you've only been able to get by making the jump to costly stainless steel fasteners at a far more cost effective price.

OTHER FEATURES INCLUDE

High lubricity for reduced tapping torque

Can be powder coated for color match and increased rust resistance.

Totally compatible with aluminum and other metals used in construction.

Hexavalent Chromium Free, R.O.H.S compliant and environmentally friendly!



**PERFECT FOR WINDOWS, DOORS, TRAILERS
AND A VARIETY OF OUTDOOR APPLICATIONS**





QUICK REFERENCE

A quick, visual reference of common fasteners.

BOLTS



Hex Cap Screw



Hex Tap Bolt



Hex Machine Bolt



Carriage Bolt



Hex Lag Bolt



Flange Bolt



Elevator Bolt



U-Bolt



Hanger Bolt



Eye Bolt



Track Bolt



Joint Connector Bolt

SOCKETS



Socket Head Cap Screw



Flat Head Socket Cap Screw



Button Head Socket Cap Screw



Socket Head Shoulder Screw



Socket Set Screw



Hex Key

NUTS



Finished Hex Nut



Finished Hex Jam Nut



Machine Screw Nut



Square Machine Screw Nut



Coupling Nut



Flange Nut



Acorn Nut



Nylon Insert Lock Nut



Keps Lock Nut



Slotted Nut



Square Nut



Wing Nut



Tee Nut



Propell Nut



Joint Connector Nut



Weld Nut



Cross Dowell Nut



Flat Retainer Nut



Insert Nut

WASHERS

USS Flat Washer



SAE Flat Washer



Fender Washer



Bonded Sealing Washer



Medium Split Flat Washer



Finishing Washers



Internal Tooth Lockwasher



External Tooth Lockwasher



Internal/External Tooth Lockwasher



Torque Washer

PINS



Cotter Pin



Dowel Pin



Roll Pin



Hitch Pin Clip



Clevis Pin



Bed Pin



Bullet Pin



Racking Pin


SCREWS



Machine Screw



Sheet Metal Screw



Self Drilling Screw



Thread Cutting Screw



Wood Screw



Drywall Screw



Thumb Screw



Dowel Screw

RIVETS



Blind Rivets - Aluminum, Steel & Stainless Steel



Large Flange



Semi-Tubular

NAILS



Box Nails



Common Nails



Drive Screw Nails



Roofing Nails



Duplex Nails



Joist Hanger Nails



Masonry Nails



Ring Shank Nails



Drywall Nails

Many plating, coating, and finish options are available on most products. Just let us know your requirements!



PAINTING SERVICES

FASTENER PAINTING

- Can run many sizes and colors at the same time
- Diameters: #4 thru 3/8
- Lengths: Up to 3"
- Add Neoprene or detachable washers
- Powder Coating
- ISO:9000 Compatible
- Screws, Blind Rivets, Nuts, Washers
- Must be clean - free of oil or wax
- Pantone Colors - Anything under the rainbow
- Any Finish - From high gloss to flat
- Metallic and UV resistant also available
- Polyurethane or Waterborne



BENEFITS OF PAINTING...

- Painting offers a seamless look to your project, helping the fastener blend in to the surrounding surface.
- It also offers corrosion and rust resistance, so your fastener will last longer when exposed to the elements.

TYPES OF FASTENERS

- Screws
- Bolts
- Washers
- Rivets
- Nails

COMMON APPLICATIONS

- Rain Gutters
- Metal Roofing
- Electrical Projects
- Decking
- Carpentry
- Truck & Trailer
- Vinyl Fencing

**ANY COLOR...
ANY FINISH!**

Need a custom color for a job? DONE!



ABSFASTENERS.COM